

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/585,743	06/02/2000	Richard Sedrani	100-8024C/C1/D1	7135
THOMAS HOXIE NOVARTIS, CORPORATE INTELLECTUAL PROPERTY ONE HEALTH PLAZA 430/2				
			. EXAMINER	
			CEPERLEY, MARY	
EAST HANOV	EAST HANOVER, NJ 07936-1080		ART UNIT	PAPER NUMBER
			1641	ľZ
			DATE MAILED: 07/14/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

Application/Control Number: 09/585,743

Art Unit: 1641

1) All claims are allowable in view of the arguments presented in the appeal brief of April 30,

2003. However, due to a potential interference, ex parte prosecution is SUSPENDED FOR A PERIOD OF

SIX MONTHS from the date of this letter. Upon expiration of the period of suspension, applicant should

make an inquiry as to the status of the application.

2) Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Mary E. (Molly) Ceperley whose telephone number is (703) 308-4239. The

examiner can normally be reached from 8 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor,

Long Le, can be reached at (703) 305-3399. The fax phone number for responses to be filed BEFORE

final rejection is (703) 872-9306. The fax phone number for responses to be filed AFTER final rejection is

(703) 872-9307.

Questions which are NOT RELATED TO THE EXAMINATION ON THE MERITS, should be directed

to TC 1600 CUSTOMER SERVICE at (703) 308-0198. Any inquiry of a general nature or relating to

the status of this application or proceeding should be directed to the receptionist whose telephone

number is (703) 308-0196.

July 11, 2003

Mary E. Ceperley Mary E. (Molly) Ceperley Page 2

Primary Examiner

Art Unit 1641